

Electrolux Vanguard SAC09SNV23-1 — Product Detail Page Copy

Document purpose: Web copy for the Individual Product Detail Page

Model: SAC09SNV23-1 | 9,000 BTU | 115V | 23 SEER2 | Up to 450 sq ft

Series: Electrolux Vanguard

Prepared for: Web Designer

Version: v1 — 29 May 2026

Designer notes are shown in [square brackets] throughout. All other text is publish-ready copy.

SECTION 1 — PRODUCT HERO

[H1 — Benefit-led, sentence case, left-aligned, semi-bold]

Vanguard 9,000 BTU mini split | 23 SEER2 | Wi-Fi | Up to 450 sq. ft.

[Star rating widget — placeholder]

[Rating widget: pull from review system]

[Short product descriptor — body copy, 2 sentences]

Year-round heating and cooling for bedrooms, home offices, and living spaces. Whisper-quiet, energy-smart, and built to perform even when outdoor temperatures drop to -13°F.

[3 feature hook bullets — displayed prominently beneath descriptor]

- Heats down to -13°F — where most mini splits give up
- 23 SEER2 — Energy Star & AHRI certified
- 30 dB(A) quiet — quieter than a library whisper

[CTA button — sentence case, semi-bold]

Find a retailer

[Model ID — small/muted text beneath CTA]

Model: SAC09SNV23-1

SECTION 2 — FEATURE BENEFIT CARDS

[Section H2 — benefit-led, sentence case, semi-bold]

Built for better living, every season

[Section subheading — body copy]

Every feature in the Vanguard is designed to make your home more comfortable, more efficient, and healthier — without adding complexity to your life.

[Feature card 1 — icon: snowflake/flame]

Reliable heat when it matters most

While most mini splits struggle in deep winter, the Vanguard keeps delivering — 7,500 BTU at 5°F, 6,200 BTU at 17°F. Heating mode operates down to -13°F, so you stay warm through the coldest nights.

[Feature card 2 — icon: leaf/energy]

Lower energy bills, every single month

At 23 SEER2, the Vanguard runs measurably more efficiently than the 19–21.5 SEER2 average for this class. Energy Star and AHRI certified — so the savings are real, not estimated.

[Feature card 3 — icon: sound wave]

A home that stays peaceful

30 dB(A) indoor operation — quieter than most room AC units. Whether you're sleeping, working, or just unwinding, you'll notice the comfort before you notice the unit.

[Feature card 4 — icon: smartphone/wifi]

Control your climate from anywhere

Adjust temperature, set schedules, and switch modes from your smartphone. Works with Alexa and Google Assistant for hands-free voice control. A backlit remote with 24-hour timer means it works without Wi-Fi too.

[Feature card 5 — icon: sparkle/clean]

Cleaner air, without the maintenance headaches

High-temp self-clean heats the coil to sterilizing temperature, eliminating mold and bacteria at the source — no service call required. Filter change alerts and built-in self-diagnosis keep everything running at its best.

[Feature card 6 — icon: box/toolset]

Ready to install. Nothing left to source.

Ships complete with a 25 ft pre-charged line set, wall mounting bracket, outdoor pad, and washable dust filter. No refrigerant tank needed on site. Professional installation required.

SECTION 3 — FEATURES ICON GRID

[Section H2 — semi-bold, sentence case]

Thoughtfully engineered, inside and out

[Section subheading — body copy]

Thoughtfully designed features that deliver superior comfort, cleaner air, and smarter performance for your home.

[Icon grid — 2 or 3 columns. Each item: icon + bold label + short descriptor]

Feature	Descriptor
Inverter compressor	Energy-saving, stable temperatures
23 SEER2	Among the most efficient in its class
R32 refrigerant	Lower environmental impact than R410A
8 comfort modes	Auto, Cool, Heat, Dry, Fan, Turbo, Sleep, Eco
4-way auto swing	Even airflow in every direction
iFeel / Follow Me	Adjusts to where you are in the room
Wi-Fi + app control	Manage comfort from anywhere
Alexa & Google Assistant	Hands-free voice control
High-temp self-clean	Automatic coil sterilization
Refrigerant leak detector	Built-in safety protection
Chassis heater	Cold climate reliability
Modular PCB design	Easier servicing, longer life
Backlit remote	24-hour timer — no Wi-Fi needed
Top-access washable filter	Simple upkeep, no tools required
Auto restart	Resumes after power interruptions
5-year compressor warranty	Built to outlast the competition

SECTION 4 — PRODUCT TECHNICAL SPECIFICATIONS

[Section H2 — semi-bold, sentence case]

Product technical specifications

[Section subheading — body copy]

Full performance, installation, and dimensional details for the Vanguard SAC09SNV23-1.

[Downloads — with download icon/button]

- User manual [Download]
- Product dimensions sheet [Download]

Core performance

Specification	Value
Cooling capacity	9,000 BTU (range: 2,400–11,000 BTU)
Heating capacity	10,000 BTU (range: 2,400–11,000 BTU)
Heating capacity @ 5°F	7,500 BTU
Heating capacity @ 17°F	6,200 BTU
Cold climate operation	Down to -13°F
SEER2	23
EER2 @ 95°F	13
HSPF	10
Coverage area	Up to 450 sq ft
Inverter	Yes
Zone	Single zone
Moisture removal	0.6 L/h

Comfort & acoustics

Specification	Value
Indoor noise level	43 / 40 / 33 / 31 / 30 dB(A)
Outdoor noise level	54 dB(A)
Airflow (Low / Med / High)	188 / 235 / 282 CFM
Operating modes	Auto, Cool, Heat, Dry, Fan-Only, Turbo, Sleep, Eco
Auto swing	4-way (up/down + left/right)

iFeel / Follow Me	Yes
Louver position memory	Yes
Frost protection	46°F (8°C)
Set point temperature range	60.8°F – 87.8°F

Energy & refrigerant

Specification	Value
Energy Star certified	Yes
AHRI certified	Yes
Refrigerant	R32
Refrigerant charge	19.4 oz
Additional charge rate	0.56 oz/ft

Installation & electrical

Specification	Value
Voltage	115V
Rated input power (cooling)	653W
Rated input power (heating)	634W
Rated current (cooling)	5.8A
Rated current (heating)	5.7A
Minimum circuit ampacity	16A
Maximum overcurrent protection	25A
Pre-charged line set	25 ft
Maximum lineset length	49 ft
Maximum elevation difference	33 ft
Connecting pipe — gas line	3/8"
Connecting pipe — liquid line	1/4"

Connecting wiring	4 × 16AWG
Estimated installation time	~2 hours
Condensate drain method	Gravity

Dimensions & weight

	Indoor unit (IDU)	Outdoor unit (ODU)
Dimensions (W × D × H)	32-1/4" × 7-5/8" × 12"	31-7/8" × 12" × 21-5/8"
Net weight	20.5 lbs	51.8 lbs
Gross weight	25.1 lbs	58.3 lbs

Smart & connectivity

Specification	Value
Wi-Fi app control	Yes
Local on-device scheduling	Yes
Alexa	Yes
Google Assistant	Yes
Apple HomeKit	No
Geofencing	No
Filter change alert	Yes
Self-diagnosis	Yes
Timer	Yes
Display on/off	Yes
°C / °F switch	Yes

Hygiene & maintenance

Specification	Value
Self-clean	Yes

High-temp self-clean & sterilization	Yes
Deep-clean air channel	Yes
Filter type	Washable (top-access)

Reliability & assurance

Specification	Value
Compressor warranty	5 years
Parts warranty	1 year
Registration required	No
Coil anti-corrosion coating	Yes
Refrigerant leak detector	Yes
Chassis heater (cold climate)	Yes
Fire-rated electrical box	Yes
Modular PCB design	Yes
Advanced defrost logic	Yes
Auto restart	Yes
Forced defrost	Yes

Compressor

Specification	Value
Compressor brand	GMCC
Compressor type	Rotary
Compressor model	KSN89D28UDZW31

SECTION 5 — YOU MAY ALSO LIKE

[Section H2 — semi-bold, sentence case]

Explore the full Vanguard series

[3 product cards. Each card: product name, descriptor, price, CTA button]

[Product card 1]

Electrolux Vanguard 12,000 BTU

Single-zone mini split | 24 SEER2 | Up to 750 sq ft | 115V

\$1,189

[\[View product\]](#)

[Product card 2]

Electrolux Vanguard 18,000 BTU

Single-zone mini split | 24 SEER2 | Up to 1,000 sq ft | 208/230V

\$1,599

[\[View product\]](#)

[Product card 3]

Electrolux Vanguard 24,000 BTU

Single-zone mini split | 23 SEER2 | Up to 1,250 sq ft | 208/230V

\$1,949

[\[View product\]](#)

SECTION 6 — CUSTOMER REVIEWS

[Section H2 — semi-bold, sentence case]

What homeowners are saying

[Reviews widget — placeholder for live review integration. Display: aggregate star rating, total review count, star breakdown, individual reviews with verified buyer badge]

[Reviews widget placeholder]

SECTION 7 — BRAND PROMISE SIGN-OFF

[Semi-bold, sentence case — required on all product pages per brand guidelines]

For better living. From Sweden.

SECTION 8 — EMAIL NEWSLETTER SIGN-UP

[Section heading — H2, semi-bold, sentence case]

Stay ahead of home comfort

[Body copy]

Get the latest from Electrolux — tips, updates, and exclusive offers delivered to your inbox.

[Input field placeholder text]

Your email address

[CTA button — sentence case, semi-bold]

Subscribe

DESIGNER NOTES

1. **Spec tables** should use a collapsible accordion format by category (Core Performance, Comfort & Acoustics, etc.) to avoid overwhelming the page
2. **"Find a retailer"** CTA appears in the hero (Section 1) and should also appear as a sticky/floating button visible on scroll
3. **Coverage area** for the three "You May Also Like" cards is now confirmed: 750 / 1,000 / 1,250 sq ft

4. **Model number** is SAC09SNV23-1 throughout — confirmed consistent across all source files
5. **Brand promise** ("For better living. From Sweden.") must appear as semi-bold sentence case — never uppercase, never locked with the logo
6. **CTAs** throughout are sentence case — never all caps (e.g., never "FIND A RETAILER" or "SHOP NOW")
7. **Section 2 headlines** (H3 feature card titles) are benefit-led sentence case — the default style per brand guidelines
8. **Professional installation** is required — this is noted in the hero bullets and the installation card. Do not remove this disclosure.